

L Number	Hits	Search Text	DB	Time stamp
1	62	reset\$4 near5 liquid adj crystal adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:19
2	14	(reset\$4 near5 liquid adj crystal adj display) and reset near4 volt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:20
3	5	((reset\$4 near5 liquid adj crystal adj display) and reset near4 volt\$4) and reset\$4 near6 liquid near6 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:30
4	106	reset\$4 near6 volt\$4 near5 appl\$4 near5 (liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:32
5	0	(reset\$4 near6 volt\$4 near5 appl\$4 near5 (liquid adj crystal)) and reset\$4 near4 (liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:32
6	91	(reset\$4 near6 volt\$4 near5 appl\$4 near5 (liquid adj crystal)) and reset\$4 near4 (liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:33
7	38	((reset\$4 near6 volt\$4 near5 appl\$4 near5 (liquid adj crystal)) and reset\$4 near4 (liquid adj crystal)) and liquid adj crystal adj6 cell	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:35
8	14	((((reset\$4 near6 volt\$4 near5 appl\$4 near5 (liquid adj crystal)) and reset\$4 near4 (liquid adj crystal)) and liquid adj crystal adj6 cell) and scan\$4 near8 row	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:35
9	12	((((reset\$4 near6 volt\$4 near5 appl\$4 near5 (liquid adj crystal)) and reset\$4 near4 (liquid adj crystal)) and liquid adj crystal adj6 cell) and scan\$4 near8 row) and sequen\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:36
10	0	(((((reset\$4 near6 volt\$4 near5 appl\$4 near5 (liquid adj crystal)) and reset\$4 near4 (liquid adj crystal)) and liquid adj crystal adj6 cell) and scan\$4 near8 row) and sequen\$8) and reset\$4 near6 liquid adj crystal near9 simultaneous\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:37
11	8	(((((reset\$4 near6 volt\$4 near5 appl\$4 near5 (liquid adj crystal)) and reset\$4 near4 (liquid adj crystal)) and liquid adj crystal adj6 cell) and scan\$4 near8 row) and sequen\$8) and reset\$4 same simultaneous\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/03 22:37

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=USPT,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L13</u>	reset\$5 same liquid crystal cell same simultaneous\$4	6	<u>L13</u>
<u>L12</u>	reset\$5 near5 liquid crystal cell near9 simultaneous\$4	0	<u>L12</u>
<u>L11</u>	L8 and reset\$5	1	<u>L11</u>
<u>L10</u>	L8 and reset\$5 near5 cell	0	<u>L10</u>
<u>L9</u>	L8 and reset\$5 near5 cell near9 simultaneous\$4	0	<u>L9</u>
<u>L8</u>	L7 and scan\$4 near4 row near5 cell near9 sequen\$8	4	<u>L8</u>
<u>L7</u>	driv\$4 near6 liquid crystal display	10412	<u>L7</u>
<u>L6</u>	L5 and crystal near5 cell	4	<u>L6</u>
<u>L5</u>	L4 and reset\$4 near5 voltage	11	<u>L5</u>
<u>L4</u>	reset\$4 near4 liquid crystal display	50	<u>L4</u>
<u>L3</u>	L2 and cell	1	<u>L3</u>
<u>L2</u>	L1 and reset\$4 near4 voltage	3	<u>L2</u>
<i>DB=DWPI,USPT,EPAB,JPAB,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	reset\$4 near4 liquid crystal display near7 device	14	<u>L1</u>

END OF SEARCH HISTORY